



Select Page



PRODUCTION DIVISION LIST



INTERNATIONAL
PRACTICAL
SHOOTING
CONFEDERATION
[IPSC.ORG](https://www.ipsc.org)

Below is a list of the additions to the list of pistols currently approved for Production Division. However, IPSC does not guarantee that a model currently listed may not be removed from the list in the future. IPSC reserves the right to modify this list at any time. Only handguns included in the full list of approved models and that comply with the requirements of Appendix D4 of the [IPSC Handgun Competition Rules](#) may be used in Production Division. For further information about the requirements of Production Division, please refer to Appendix D4 of the [IPSC Handgun Rules](#), available for download from this website. For Action Air Production Division, only replicas of the handguns listed below are approved **Note:** Please read the [Rules FAQ](#) for answers to any questions you may have. If you wish to comment about the list, please send an email to: info@ipsc.org

Updated: **2026-03-09**

Make	Model
AKDAL ARMS	Ghost TR01, TR02, TR03, TR07, TR08
ALFA-PROJ	Alfa Combat, Alfa Defender
ARCHON	Type B
ARCUS	98
AREX	Rex Zero 1, Rex Zero 5.0, Rex Zero 1S, Rex Zero 1T, Rex Zero 1CP, Rex Alpha, Arex Delta M, Arex Delta M Gen2 and Arex Delta L, ZERO 2 S, ZERO 2 C COMPACT, ZERO 2 S TACTICAL, ALPHA, ALPHA RACE, DELTA 2 M, DELTA 2 M TACTICAL, DELTA 2 X, DELTA 2 X TACTICAL, DELTA 2 L OR, DELTA 2 L GREY WOLF (without compensator and without magfunnel)
ARMA ZEKA	AZ-P1, AZ-P1 (Optics Ready), AZ-P1 Sport, AZ-P1 Sport (Optics Ready), AZ-P1 Sport 2, AZ-P1 Sport 2 (Optics Ready), Sport, Sport OR
ARMALITE	AR24, AR24K
ARMS MORAVIA	G2000
ARMSCOR	AP9, AP9MS, APP9, APP9MS, MAP1, MAP1FS, MAP1MS, MAPP1, STK100
ARSENAL FIREARMS	Strike One, Strike One Combat, Strike One Speed, Stryk B, AF1NITRO, Strike One Ergal (called Ergal Pro in Brazil), Strike One Ergal Pro (called Ergal Pro S in Brazil)
ASAI AG	onePRO

ASTRA	A75, A100
BAIKAL	MP446, MP446C
BB TECH	BB6,
BERETTA	<p>92 Series full size frame (including 92, 92D, 92DS, 92F, 92FS, 92S, 92SB, 92SB-F, 92GSD, 92FS Brigadier, 92G, 92G Elite, 92G Elite II, 92FS Centurion, 92D Centurion, 92G Centurion, 92 Stock, 92EL, 90Two, 92A1, M9, M9A1, M9A3) 92 Series compact frame (including 92L Compact, 92SB Compact, 92L Compact M, 92SB compact M, 92 Custom Carry) 92X Performance 96 Series full size frame (including 96, 96D, 96DS, 96G, 96 Brigadier, 96D Brigadier, 96G Brigadier, 96G Elite, 96G Elite II, 96G-SD, 96 Centurion, 96D Centurion, 96 Stock), 96A1 96 Series Compact frame (including 96L Compact, 96L Compact M, 96D Compact, 96D Compact M) 98 Series (including 98F, 98FS, 98FS Brigadier, 98 Deluxe, 98 Stock, 98FS-A1) Vertec series (including 92G, 92FS, 92 Elite 1A, 92 Steel, 96G, 96FS, 96 Elite 1A, 96 Steel, 98 Steel) Cougar Series (including 8000 D/DL/FL /LP/Mini, 8040 D/F/Mini, 8045 D/F/Mini, 8357 D/F) 9000S Series (including Type D & F) PX4 Storm, APX, PX4-Storm G-SD, 92X Performance 2.0 and 94X Performance (both with the small disassembly latch), Beretta M9A3</p> <p>NOT APPROVED: single-action-only variants or laser equipped models</p> <p>NOT APPROVED: Wilson Combat (or other custom shop) variants of any approved model above</p>
BERNARDELLI	2000, 2000 Baby

BERSA	Thunder 9, Thunder 40, Mini T9/T40, Thunder PRO/XT, BP9CC, TPR9,TPR9XT, TPR9T and TPR9X
BROWNING	BDM, BDA, PRO9, PRO40 NOT APPROVED: Hi-Power
BUL	Cherokee (full size, compact & mini), Impact, Storm AXE F, AXE FX, AXE FST, AXE C Cleaver, AXE C Hatchet, AXE C Tomahawk, AXE FS Cleaver, AXE FS Hatchet, AXE FS Tomahawk
CANIK	Mete SFT, Mete SF, Mkek series (Standard, Light, Compact), Piranha series (F, C, CF), Shark series C, Shark series FC, Stingray C, Dolphin, SFC-100, TP9V2, TP40V2, P120 (except SAO version). TP9DA, TP9SA, TP9SA Mod. 2, TP9SF, TP9SF Elite, TP9SF Elite-S TP9 Elite Combat, SFx RIVAL (without detachable magwell), SFx RIVAL S (steel frame, without detachable magwell). NOT APPROVED: Mete SFx, TP9SFx
CARACAL	F, C, SC, CP660, CP661, CP662 NOT APPROVED: CP663, CP664 (due to lack of availability for inspection in early 2017).
COLT	2000, Double Eagle Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm
CZ – CESKA STRAKONICE	ST9, TT9, TT40, TT45, MT9, MT9L
CZ – CESKA ZBROJOVKA	CZ75B Omega, CZ75 P-02, CZ75, CZ75B, CZ75B Stainless, CZ75BD, CZ75BD Police, CZ75 Compact, CZ75D Compact, CZ75 Semi Compact, CZ75 Combat II, CZ85, CZ85B, CZ85 Combat CZ40B, CZ97B, CZ99, CZ100, CZ110, CZ2075 Rami, CZ2075D Rami, CZ2075 Rami P CZ75 P01, P07, P07

	<p>Duty, P09, CZ75 SP-01, CZ75 SP-01 Tactical, CZ75 SP-01 Shadow, CZ75 SP01 Dual Tone, CZ75 SP-01 Sport (9x21mm version with OFM trigger stop as sold in Italy), CZ75 SP-01 Phantom, CZ75 SP-01 Shadow TR, CZ75 SP-01 Shadow Orange, Shadow 2, Shadow 2 Urban Grey, Shadow 2 OR (Optical Ready), Shadow 2 Orange, Shadow 2 Compact, SP-01 Shadow Australian DualTone 9mm Pistol P10-C, P10-C OR P10-F, P10-F OR, P10-SC and P10 SC OR Also approved: variants with original (CZUB) barrels which are longer than standard (e.g. SP-01A, SP-01DK), provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules. Also approved: original (CZUB) dual tone, coloured frame, and Shadow Line variants of approved models, CZ75 SP-01 (50th Anniversary Edition).</p> <p>NOT APPROVED: CZ-USA and CZ Custom Shop variants (e.g. SP-01 Shadow Target, CZ 75 Shadow T, CZ 75 SP01 ACCU Shadow etc.) Models: P-10 F, P-10 C, P-10 M and P-10 SC. These 4 models in the Optics Ready (OR) version are also approved but in Production Division without the optics installed.</p>
CZC – CZ CUSTOM	CZC A01-LD, CZC A01-LD OR, CZC A01-SD, CZC A01-SD OR, CZC 75 Bull Shadow, CZC 75 Bull Shadow OR, CZC 75 Bull OR
CZECHPOINT	NOT APPROVED: VZ-15 (due to lack of availability for inspection in early 2017).
DAEWOO	DP51, DH40
DESERT EAGLE	Eagle Compact, Baby Eagle, Baby Desert Eagle III.
DIAMONDBACK	FS9

DLASK	P226 clone
EAA	Witness Steel, Polymer, P, PS, P Carry, Classic, Limited Pro, Elite Stock, Stock II, Stock III, Pavona, Extreme Witness Stock 2, Extreme Witness Stock 3 Also approved: compact versions of the above models NOT APPROVED: Witness Carry Comp, Gold, Silver and Limited
EMTAM	RAMON (including all Optic Ready Models and all FPI models in all colors), RAMON S (including all Optic Ready Models and all FPI models in all colors). Provided the barrel length does not exceed 127mm and does not include compensator
FEG	P9R, P9RK
FABRYKA BRONI ŁUCZNIK – RADOM	VIS 100 M1, MPS
FAMAE	Volcano – F , Volcano – FD, Volcano – F40, Tornado – F, Tornado – F40, Esparta – F, Tiffon – F, Tiffon – FD
FMK FIREARMS	9C1 G2 (DAO)
FN HERSTAL	FNP-9, FNP-9M, FNP-40, FNP-40M, FNP-9 DAO, FNP-40 DAO, FNP-45, FNP9-17 SA/DA, FNX9, FNX40, FNX45 FNS, FNS-9MS, FNS-40MS, FNS-40L, FNS-9L (aka “Longslide”, previously FNS-9 Competition) 509, FN509, FN509 Tactical, FN509 LS Edge NOT APPROVED: FNX45 Tactical
GIRSAN	Bora, Bora Light, Compact MC, Compact MKEK, Regard MC, Regard MKEK, Zirve, MC23, MC23.40, MC23.45, MC27, MC-C40, MC-R40, MC-28SA , MC-28SAC, MC-28SAS, MC-28SACS, MC 9, MC 9S,

	<p>MC 9 OPTICAL (with no cuts in the slide), MC R9, REGARD GEN4.</p> <p>NOT APPROVED: MC9 XTREME, MC 9T or any other variation with cuts in the slide</p>
GLOCK	<p>17, 17M, 19, 19M, 19X, 20, 21, 22, 23, 26, 27, 29, 30, 30S, 31, 32, 33, 36, 37, 38, 39, 43, 45, 47, 48. Also approved: variants with original Glock barrels which are longer than standard (e.g. 17A, 17DK), as well as variants with "Tactical", "Mariner" or similar OFM engravings on the slide, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules. Also approved: Gen 4 and SF or FS versions of above models. Also approved: Gen 5 versions of above models. Also approved: MOS (Italy: FTO) versions. Also approved: TB versions of approved models, provided the barrel length does not exceed 127mm, 45 A-Cut Aimpoint COA Combo (in Production Optics only if the optical side has been installed), 45 A-Cut Hunter Combo (in Production Optics only if the optical side has been installed), 45 MOS Hunter, 17X Gen 5, Gen 6 of models approved in current list.</p> <p>NOT APPROVED: 17TB, 18, 24, 25, 28, 34, 35, 41, 42, Pro, L, C models</p>
GRAND POWER	<p>K100, K100P40, K100P45, K100MK6, K100 Dynamic, K100MK7, K100 Target, K100 X-TRIM, P1, P1MK7, P1Ultra, GPC9, P11, P40L, P45L, Q100. X-Calibur (originally approved with barrel length checked with a caliper — remains approved even if the "dowel" method returns a different result), X-Calibur Match, X-Calibur Match CO. Also approved are variants with original Grand Power</p>

	barrels which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.
HECKLER & KOCH	USP, USP Stainless, USP Compact, USP Compact Stainless, USP Custom Sport, USP9SD, USP Tactical (barrel 127mm or shorter), USP Compact Tactical, HK45, HK45 Compact VP70Z, P8, P9S (only with 100mm barrel), P10, P2000, P2000SK, P30, P30L, P30S, P30LS, P7M8 (EP7 in Greece), P7M10, P7M13, VP9, VP9 Tactical, VP40, SFP9, SFP9-SF, SFP9-SFSD, SFP9L, SFP9-SK, SFP9-M, SFP9-OR, SFP9L-OR, NOT APPROVED: Mark 23, USP Elite, USP Expert, USP Production, USP Combat Competition
HS PRODUKT	HS2000 Series (HS9, HS357, HS40, HS45) XDM (except ported models) HS-9 G2 4.0, HS-9 G2 4.0 SS (stainless steel slide), HS-9 G2 5.0, HS-9 G2 5.0 SS (stainless steel slide) HS SF19 3.8, HS SF19 3.8 SS, HS SF19 3.8 FDE, HS SF19 3.8 AFDE, HS SF19 3.8 TB cal, HS SF19 3.8 TB RDR, HS SF19 3.8 TB RDR AFDE, HS SF19 3.8 RDR, HS SF19 4.5, HS SF19 4.5 SS, HS SF19 4.5 FDE, HS SF19 4.5 AFDE, HS SF19 4.5 RDR, HS SF19 4.5 RDR SS, Echelon 4.5 NOT APPROVED: XDM 5.25 Series, Echelon with the 5,28" threaded barrel
HUDSON	H9
IMI	Barak 9, Barak 40, Barak 45
INDUMIL	Cordova
IWI	MASADA, Jericho II
JERICHO	941, 941S, 941F, 941FS, 941FB, 941FBL, 941R, 941RB, 941RS, 941PL/RPL, 941PSL/RPSL,

	941FBL/RBL
KAHR	K Series (9mm,40cal, Lady & Elite), MK Series (9mm, 40cal, Micro & Elite), P Series (9mm and 40 cal), PM Series (9mm), T Series (Target & Tactical), TP Series
KALASHNIKOV	NOT APPROVED: PL14 (due to unavailability for inspection in early 2017)
KBP	GSh18
KEL-TEC	P11, P40
KMR Precision Arms	KMR L-02, KMR W-02, KMR L-02 SPECTRA, KMR W-02 SPECTRA, KMR W-02 SPECTRA S, KMR W-02 SPECTRA X, KMR W-02 SPECTRA X S, KMR L-02 UMBRA, KMR W-02 UMBRA, KMR W-02 UMBRA X, KMR W-02 UMBRA X S, KMR W-02 VAPOR, KMR W-02 VAPOR S
LAUGO ARMS	Alien, Creator, Alien Remus (Original Optics mount is not approved)
LLAMA	M-82
MAGNUM RESEARCH	SP21 (9mm,40SW,45ACP), MR Eagle
MANURHIN	MR73 revolvers (3" G3 and 4" G4 models only)
NORINCO	NC226, NP18, NP22, NP34, NP40, NP58, NZ75, NZ85
OPOS ARMS	Venator (Original Optics Mount that moves for each shot approved)
PARA-ORDNANCE	LDA NOT APPROVED: Tac-Five and other variants with enlarged magwells

PHOENIX	Fusion Standard, Fusion Standard Carry Optic, Fusion Tactical, Fusion Tactical Carry Optic, Fusion Compact. Redback, Redback Carry Optic, Redback Light, Redback Light Carry Optic, Redback Ultralight, Redback Ultralight Carry Optic, Drake Production, Redback Gen 2, Redback Light Gen 2, Redback Ultralight Gen 2, Drake Prod, Predator
PINDAD	Armo V3 – IPSC
REMINGTON	RP9,
REPUBLIC ARMS	Patriot
REVO ARMS SRL	IS-9 with 4,85" barrel and with 4,3" barrel also the optics ready model
RUGER	P85, P89, KP89, P90, KP90, P91, KP93, P94, P95, K94/95, KP95, P345, KP345, KP345PR, P97, SR9, SR9C, SR40, KBSR9, LC9, P944, KP944, BSR45, KSR45, 9E, American, Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm
ROCK ISLAND ARMORY	RIA5.0 and RIA5.0E
RWTS	NOT APPROVED: "Soratnik" (due to lack of availability for inspection in early 2017).
SARSILMAZ	Kilinc 2000, Kilinc 2000 Light, Hancer 2000, Hancer 2000 Light, K2, K10, K10C, B6, B6C, CM9, ST10 (not Tactical version), SAR 9, ST9.
SHADOW SYSTEMS	DR920, Combat and Elite models (threaded/non-threaded, without magwell) MR 920, Elite and Combat models (threaded/non-threaded) (without magwell) MR918 9mm (MR918L, MR918 Combat, MR918 Elite without magwell) MR920L

	(threaded/non threaded, without magwell)
SCHMEISSER	SLP-9,
SIG	<p>P220, P220-1, P224, P225, P228, P229, P229 RX, P229 SL Sport, P239, P250, P250DCc, SP2009, SPC2009, SP2020, SP2022, SP2340, P320, P320 Carry, P320 Nitron, P320 RX (without optic), P930, P227 series (various models), MK25 (without optic), P320 Compact, P320 X-VTAC, P320X5 MAX (without detachable magwell), P320 X-Five (without detachable magwell), P320 Tacops Carry, P320 M17, P320 X5 Legion (without detachable magwell), P226, P226 Tactical Operations, P226 E2, P226ST, P226 Sport II SL ohne Schiene, P226SL, P226SL Black, P226 X-Five Allround, P226 X-Five Tactical (not SAO version), P226R DAK, P226DAO, P226R, P226R Two Tone, P226 SAS, P226 Blackwater, P226 Equinox, P226 Stainless, P226 AL-SO, P226 SL-SO, P226 Sport Stock, P226 X-Five SO (SA/DA version only), P226 X-Five AL SO (SA/DA version), P226 Navy, P226 SCT, P226 Elite, P226 Blackwater Tactical, P226 Combat, P226 Combat TB, P226 USPSA (Black & Two Tone), P226 Platinum Elite, P226 Enhanced Elite, P226 Elite Dark, P226 Gadsden, P226-SL-SO-BT, P226-MK25, P226 Elite Stainless, P226 Elite Dark TB, P226 Scorpion, P226 Scorpion TB, P226 X-Five SO Capsicum, P226 Extreme, P226 LDC, P226 LDC II, P226 RX Also approved: models listed above without the "P226" designation engraved on their slide provided the gun configuration is otherwise identical. Also approved are P220, P229, P239 and Legion series variants of approved models with maximum 127 mm barrel length. NOT APPROVED: P226 Xpress, P220 X-Zone, P220 Sport, P226 HSP, P226 Sport,</p>

	P226 Sport II SL mit Schiene, P226 X-Five, P226 X-Five Short, P226 X-Five Competition, P226 X-Five Supermatch, P226 X-Six, P226R Crimson Trace, P320 Target, P320-XFIVE DH3 (with original slide release without thumb rest function and without detachable mag funnel), P320 M18
SIGMA	Compact SW9V, SW40W, SW40VE, SW9VE, SW9M, SW40F, SW40C, SW9F, SW9C
SMITH & WESSON	39, 59, 410, 439, 459, 539, 659, 669, 908, 910, 915, 1006, 1066, 3906, 3913, 3913L, 3913TSW, 3914, 3953, 3953TSW, 4006, 4043, 4046, 4013TSW, 4053TSW, 4513TSW, 4553TSW, 457, 4506, 4516, 4566, 4586, 5903, 5903TSW, 5904, 5906, 5946, 6906, 6926, 6946 SW99, M&P9, M&P9C, M&P9 Pro, M&P9L, M&P357, M&P40, M&P40L, M&P40 Pro, M&P45, M&P45C, M&P40C, M&P9VTAC, M&P40 VTAC, M&P CORE Series, M&P CORE PRO Series, M&P M2.0 (but not the M&P M2.0 Competitor), SD 9 VE Series, M&P9L Pro Series C.O.R.E, M&P Shield Series, M&P9TBK (but without optics fitted). Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm, M&P9 M2.0 METAL, M&P9 M2.0 METAL with threaded barrel, PC M&P9 M2.0 COMPETITOR, Tungsten Finish (without Jet-Funnel), PC M&P9 M2.0 COMPETITOR 2-TONE (without Jet-Funnel)
SPHINX	2000 Series (S, P, PS and H models) 3000 Series (Standard, Competition Production, Compact, Tactical, Police, SOP, Hi-Cap) All of the above in Steel, Stainless Steel, Titanium or Aluminium SDP Series (Compact, Compact Plus, Standard, Production) All of the above in Polymer, Steel, Stainless Steel, Titanium or Aluminium Also approved: variants with original Sphinx barrels

	which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants full comply with all other Production Division rules.
SPRINGFIELD	P9, XD, XDS45, XDM (except ported models), XDM OSP (without optic), XD Mod.2 5" Tactical, Echelon 4.5 NOT APPROVED: XDM 5.25 Series, XD/XDM Production model, XD/XDM Custom Competition model, Echelon with the 5,28" threaded barrel
SPS	Compact (SP II, SP II Plus, SP III) Police Compact (SPII, SPII Plus, SP3)
STAR	Megastar, M30, Ultrastar
STEYR	M-A1, M9-A1, M40-A1, S9, S40, L9-A1, C-A1, Steyr L9A2 , Steyr M9A2 Steyr C9A2, ATC Base 5, ATD Compact, ATC Rock 5" DA (not the SAO version)
STI	GP6, GP6C, GP5 Also approved: variants with original STI barrels which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules. NOT APPROVED: single-action-only models
STOEGER INDUSTRIES	Cougar, Cougar Compact, STR-9
STP	P19
TANFOGLIO	Force 38, Force 38F Carry, Force 38F, Force 38L, Force 40, Force 40F Carry, Force 40F, Force 40L, Force 40R Carry, Force 40R, Force 45, Force 45F Carry, Force 45F, Force 45L, Force 45R Carry, Force 45R, Force 921, Force 921F Carry, Force 921F, Force 921L, Force 921R Carry, Force 921R, Force

	<p>99, Force Compact 40, Force Compact 45, Force Compact 921, Force Pro, Force Plus, Force Sport, GT10, GT21 Baby, GT21 Combat, GT21, GT23, GT40 Baby, GT40 Combat, GT40, GT45, P19 Combat, P19 Standard, P19L, P21 Combat, P21L, P23, P23L, P38L, P40 Compact, P40, P40F, P40FB, P40L, P40R, P41, P45, P45L, T94F, T94R, T95F Stock, T95F, T95R, T96F, T96R, T97F, T97L, T97R, TA10 Compact, TA10, TA40FB, TA45 Compact, TA45, TA90, TA90 Combat, XL2, XL4, Stock, Stock II, Stock III, Stock III Special, L, Combat Sport, TZ-75 C90, Limited PRO, S2N, Stock I, Stock II Xtreme, Stock III Xtreme, Stock IIIIP. Stock I Optic, Stock II Optic, Stock II Xtreme Optic, Stock III Optic, Stock III Xtreme Optic, Stock IIIIP Optic (but without optics fitted), Stock III Pro, Stock Master, Force Esse Carry, Force Esse Full Size, Stock I Extreme and Stock Master Extreme. Also approved: variants with original Tanfoglio barrels which are longer than standard (e.g. Stock II Limited) provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules. NOT APPROVED: Stock Custom model</p>
TARA	MP9, Millennium G2, TM-9,
TAURUS	PT92, PT99, PT100, PT100 Plus, PT101, PT111, PT140, PT145, PT921, M66, 827, 817, PT809B, PT809E, PT809SS, PT840B, PT840SS, PT845B, PT845SS, PT917, PT917C, PT917CS, PT940 TS9, TH9, TH40 and TH 40C 24/7, 24/7 G2, 24/7 PRO DS, 24/7 LD, G3 and G3C and the optical ready models (T.O.R.O.) of the approved models G3 and G3C, TX9 (FS – Full Size / C – Compact / SC – Subcompact / LS – Long Slide). Also approved: any DAO or DA/SA

	revolver with a barrel length of up to 127mm NOT APPROVED: 24/7 PRO, 24/7 OSS
TISAS	Zigana F, P40
VEKTOR	SP1, SP2 (not Single Action), Z88
WALTHER	<p>P1, PPS, P5, P38, P88, P99, P99Q, P99QA, P99C, P99DAO, P99AS PPQ, PPQ-Navy, P99D-RAD, PPX, PPQ M2, PPQ M2 Navy SD, PPQ M2 Q4 TAC, PPQ Q5 Match, PPQ Q5 Match Champion, Creed. PPQ Q5 Match SF (Steel Frame), PPQ Q5 Match SF (Steel Frame) Champion (without detachable magwell). Also approved: compact versions of all above models Also approved: variants with original Walther barrels which are longer than standard provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules, all models of the PDP F-Series</p> <p>PDP (all variants Full Size and Compact, all barrel lengths up to 5 inch including Steel Frame models without detachable Mag Funnel)</p> <p>NOT APPROVED the 5.1 models.</p> <p>Q4 Steel Frame PS and Q4 Steel Frame OR</p>
XDB	RAPAX Sport
ZASTAVA	CZ99, CZ999, EZ, EZ Compact
ZEV TECHNOLOGIES	<p>OZ9 Standard and Compact – without the detachable magwell. All models with a non-ported barrel.</p> <p>Not approved the OZ9 Competition with a barrel longer than 127mm (5 inch)</p>